



Steel Trading & Supplies

Experience & Steel Excellence
Pilatus United Steel Trading Company



Introduction

We, **M/s. Pilatus United Steel Trading Company**, are dedicated to expanding our operational horizons and fostering meaningful collaborations in pursuit of excellence. Our commitment is reinforced by the following core principles.

- ▶ **Operational Expansion:** Actively broadening our operational scope to reach new markets and seize emerging opportunities.
- ▶ **Strategic Partnerships:** Forging new business ventures with technical experts, establishing alliances with manufacturers, and building strong relationships with reliable suppliers.
- ▶ **Innovation:** Continuously exploring new ways to add value, addressing the evolving needs of our stakeholders, and staying ahead in the industry.
- ▶ **Customer Focus:** Delivering high-quality steel products and services to local and GCC markets at competitive prices, backed by exceptional customer service.
- ▶ **Cooperation and Growth:** Prioritizing mutual cooperation and sustainable growth with partners, customers, employees, and stakeholders, in line with Kuwait's focus on customization and packaged offerings.

Together, we embark on a journey of mutual success, guided by our shared vision and unwavering commitment to excellence. Through collaboration and dedication, we strive to achieve sustainable growth and long-term prosperity for all our stakeholders.

Our Mission



At the core of our Group are five fundamental values that guide our actions and decisions: integrity, understanding, excellence, unity, and responsibility. These values empower us to build lasting relationships and deliver impactful solutions for our stakeholders.

Our Vision



Our vision is to establish ourselves as the preeminent benchmark in the Kuwaiti steel industry, recognized for unmatched value creation and exemplary corporate citizenship. We strive to lead with resilience, sustainability, and a commitment to shaping a better future

About Us

M/s. Pilatus United Steel Trading Company KUWAIT

At M/s. **Pilatus United Steel Trading Company**, we are driven by a commitment to expand our operational capabilities and foster meaningful collaborations. By partnering with technical experts and establishing robust alliances with new manufacturers and suppliers, we are focused on achieving sustainable growth and advancing industry innovation. This dedication underscores our continuous pursuit of excellence and our promise to deliver lasting value to our stakeholders.

We specialize in providing premium steel products and services tailored to the needs of the local and GCC markets. Our offerings are designed to meet competitive pricing standards, while maintaining an unwavering focus on superior customer service. Aligned with Kuwait's vision for customized and integrated solutions, we emphasize collaboration and mutual growth across all aspects of our business—partnering with customers, employees, and stakeholders to ensure shared success.

Our goal is simple: to forge a path of collective achievement, where every partnership is a step toward greater prosperity and continued excellence.


Products



- Mild Steel Equal Angle
- Hot Rolled Steel Sheets / Plates & Coil
- Checkered Sheets / Plates
- U-Channels
- UPN-Channel (ERO)
- UPE-Channel
- H-BEAM (WF-JIS)
- Universal Column
- Universal Beams
- Beams -HEB Beam (ERO)
- Beams -HEA Beam (ERO)
- IPE Beam -(ERO)
- IPE Beam -(AA) (ERO)
- I-Beam (W.F JIS)
- Hollow Section Square
- Hollow Section Rectangular
- Flat Bars
- Square Bars
- Plain Round Bar
- Stainless Sheets & Plates
- G.I. Plain Sheets / Coil
- Electro Galvanized Sheets
- Galvanized Pipe “A1”, “A”, “B”, “C” ASTM A53 Sch.40
- ERW, Black Steel Pipes Thin Wall “A1”, “A”, “B”, “C” ASTM A53 Sch.40
- Seamless Pipes Plain End
- Welding Electrode - Welding Electrode (CHN)
- Steel Wire Prod. - Wire Mesh
- Glass Wool Insulation
- PPGL Sheets - Roofing , Wall Cladding & Plain
- Black & G.I. Gratings
- G.I. Perforated Sheets



Hollow Sections




PRODUCT	DIMENSIONS	LENGTH
Square Tubes	12 x 12 x 1.0 mm to 400 x 400 x 12 mm	6 m -12 mtr
Rectangular Tubes	30 x 20 x 1.0 mm to 400 x 200 x 12 mm	6 m -12 mtr





Galvanized Pipes

PRODUCT	DIMENSIONS	LENGTH
ERW Galvanized Pipes Class "A1" (GTC & GPE) (BS 1387)	1/2" x 1.9mm to 6" x 4.5 mm	6 mtr
Galvanized Pipes Class "B" (GTC & GPE) (BS 1387)	1/2" x 2.6mm to 6" x 5.0 mm	6 mtr
Galvanized Pipes Class "C" (GTC & GPE) (BS 1387)	1/2" x 3.25mm to 6" x 5.4 mm	6 mtr
Galvanized Pipes ASTM A53, SCH 40 (GTC & GPE)	1/2" x 2.6 mm to 12" x 7.11 mm	6 mtr
Galvanized Pipes Thin wall (GPE)	1/2" x 2.6 mm to 4" x 3 mm	6 mtr



Beams & Sections

PRODUCT	DIMENSIONS	LENGTH
IPE (ERO)	100 x 55 x 4.1 x 5.7 mm to 600 x 220 x 12 x 19 mm	6 m -12 mtr
IPE (AA)	80 x 46 x 3.2 x 4.2 mm to 200 x 100 x 4.5 x 6.7 mm	6 m -12 mtr
IPN	80 x 42 x 3.9 x 5.9 mm to 500 x 185 x 18 x 27 mm	6 m -12 mtr



PRODUCT	DIMENSIONS	LENGTH
H BEAM (JIS)	100 x 100 x 6 x 8 mm to 400 x 400 x 13 mm x 21 mm	6 m -12 m
HEA (ERO)	100 x 96 x 5 x 8 mm to 600 x 300 x 13 x 25 mm	6 m -12 m
HEB (ERO)	100 x 100 x 6 x 10 mm to 800 x 300 x 17.5 x 30 mm	6 m -12 m
UC	152 x 152 mm x 23kg/M to 356 x 406 x 287 kg/M	6 m -12 m
UB	203 x 102 x 23 Kg/M to 914 x 305 x 343 Kg/M	6 m -12 m
I-BEAM W.F (JIS)	150 x 75 x 5 x 7 mm to 700 x 300 x 13 x 24 mm	6 m -12 m




Mild Steel Bars

PRODUCT	DIMENSIONS	LENGTH
Flat Bars	12 x 3 mm to 300 x 15 mm	6 m
Square Bars	8 x 8 mm to 100 x 100 mm	6 m
T Bars	20 x 20 x 3 - 100 x 100 x 11	6 m



Mild Steel Angles

PRODUCT	DIMENSIONS	LENGTH
Equal Angles	25 x 25 x 2.5 mm - 250 mm x 250 mm x 25 mm	6 m - 12 m
Unequal Angles	40 x 20 x 4 - 200 x 100 x 15	6 m - 12 m



Flat Products (Coils, Sheets & Plates)

PRODUCT	THICKNESS	DIMENSIONS
Hot Rolled / Cold Rolled	1.0 mm x 1 mtr x 2 mtr	to 25 mm x 1 mtr x 2 mtr
(Coils, Sheets & Plates)	3.0 mm x 1.5 mm x 3 mtr	to 30 mm x 1.5 mtr x 6 mtr
	4.0 mm x 2 mtr x 6 mtr	to 100 mm x 2 mtr x 6 mtr
	1.0 mm x 4' x 8'	to 100 mm x 4' x 8'



Channels

PRODUCT	DIMENSIONS		LENGTH
U-Channel	75 x 40 x 5 mm	to 380 x 100 x 10.5 mm	6 m -12 m
UPN-Channel (ERO)	80 x 45 x 6 mm	to 400 x 110 x 14 mm	6 m -12 m
UPE-Channel	80 x 40 x 4.5 mm	to 200 x 76 x 5.2 mm	6 m -12 m

ERW Black Steel Pipes

PRODUCT	DIMENSIONS	LENGTH
ERW AI Black Steel Pipes (Thin wall)	1/2" x 1.0 mm to 6" x 2.2 mm	6 mtr
Black Steel Pipes	1/2" x 1.9 mm to 6" x 4.5 mm	6 mtr
Black Steel Pipes	1/2" x 2.6 mm to 6" x 5 mm	6 mtr
Black Steel Pipes ASTM A 53 Sch40	1/2" x 2.6 mm to 12" x 7.11 mm	6 mtr/12 mtr



Seamless Pipe Plain End

PRODUCT	DIMENSIONS	LENGTH
ASTM A 53 Gr.BSch. 40	1/2" to 1/2"	6 mtr-12 mtr
ASTM A 53 Gr.B Sch. 80	1/2" to 1/2"	6 mtr-12 mtr



Galvanized Plain & Corrugated Sheets

PRODUCT	DIMENSIONS
Galvanized Plain Sheets	8 Guagex 4' x 8 to 26 Guage- 4' x 8'
Galvanized Corrugated Sheets	22 Guage x 3' x 8', 3'x 10 & 3' x 12'



Electro Galvanized Sheets

PRODUCT	DIMENSIONS
Electro Galvanized Sheets	0.6 mm x 1m x 2 to 2 mm x 1m x 2 m 0.6 mm x 4' x 8' to 4 mm x 4' x 8'



Mild Steel Checkered Sheets & Plates

PRODUCT	DIMENSIONS	LENGTH
Checkered Sheets & Plates	1.6 mm x 1 x 2 mtr	to 6 mm x 1 x 2
	1.6 mm x 4' x 8' mtr	to 12 mm x 4' x 8'
	3.0 mm x 1.5 x 6 mtr	to 10 mm x 1.5 x 6 m



“ Long-lasting,
low-maintenance
protection. ”

Pipes



Range	1/2" to 96"
Execution	Seamless & Welded Pipes, ERW, HFW, SAW, DSAW, LSAW
Standards	API, ASTM/ASME, BS/ISO
Materials	Carbon Steel, Alloys, Stainless Steel, Duplex, Inconel, Titanium, Monel, Hastalloy
Grade	APISLB, A106 Gr B, APISL Gr X42, X52, X60, X65, X70, A333 Gr 6, A333 Gr 3, A671 CC65, A335 P5, P9, P11, P22, P91, A312, Gr 316/316L, 304/304L, 321/321 , 347/347H, A790 UNS S31803, S32750/ S32760, 6Moly, 310, 317L, 319TI, 904L, Alloy 400, 625, 825, C70600, C70620
Specials:	Finned Tubes, Head Exchangers, Tubes & Duplex Tubing
Coating:	Polythene, Epoxy, Galvanized, 3LPE Cement Lining Galvanized (ASTM153, ASTM123) Electro galvanizing

Flanges



Range	1/2" to 96" 150# to 2500#, 3000psi to 10,000 psi. As per standard Wide Range of thickness & Spec.
Execution	Weldneck, Socketweld, Blind, Threaded, Slipon.
Standards	API, ASTM/ASME, ISO.
Materials	Carbon Steel, Alloys, Stainless Steel, Duplex, Super Duplex, Inconel, Titanium, Monel, Hastalloy
Grade	A105, A350 LF2, LF3, LF6, A182 F316, 304/304L, F316/316L, F11, F12, F22, F51, F53, F55, High Yield F42 to F70, Inconel 625/825.
Specials:	Spectacle Blinds, Drip Rings, Long Weldnecks, Nozzles, Insulation Flanges, Anchor Flange,

Fittings



Range	1/2" to 96" Standard & Special Wall Thickness
Ends	Buttweld, Socketweld, Plainends, Threaded
Standards	ANSI/ASME, MSS SP/ISO.
Materials	Carbon Steel, Alloys, Stainless Steel, Duplex, Super Duplex, Titanium, Monel, Hastalloy
Grade	WPB, WPL6, A105, Lf2 WPHY 42/52/60/65/70 WP304/304L, 316/316L UNS S31803, S32205, 32750, S32760, Alloy 625/825, WP11, WP22, WP91, 321/321H, 347/347H
Specials:	Barred & Barrel Flow Tees, Large Radius Bends, Sweep Bends, Stub Ends, Laterals.

Valves



Range	1/2" to 48" - #150 lbs thru #2500 lbs Flanged, Threaded, Socketweld & Buttweld Connections
Ball	Floating & Trunnion Execution, Split Body, Top Entry, Side Entry, Fully Welded
Standard	Bs5351, API 6D and API 6A Gate, Globe, Check: Forged & Castings Bs5352, BS1414, BS1873, BS1868, API 6D, API 602/600 and equivalent ISO standards Bs5155, API609
Construction:	Wafer Type, Semi-lug, Single & Double Flanged Materials & Grades: A105N, WCB, WCC, LF2, LCB, LCC, F316L, F304L, F321, CF8, CF8C, CF8NM, F5, F9, F11, F51, F53, 625/825 Alloys
Specials:	Metal Seated valves, Cryogenic Valves, Actuated Valves, Exotic Alloy Valves
Coating:	Polythene, Epoxy, Cement Lined
Operation:	Lever, Gear, Hydraulic, Electric Movement, Motor Operated

Line Pipes

Seamless & Welded

Standards: API 5L 9th edition: GR. B, X-42 to X80 ASTM A-106: GR. A, B ASTM A-53: GR. A, B With supplementary requirements of NACE MR 0175 for Sour Service

Sizes:

Seamless: Outside Diameter 1/8"-24" ERW/HFI: Outside Diameter 1/2"-24" L- SAW/SPIRAL
SAW: Outside Diameter 12"-120" FBE Coating Fusion bonded Epoxy Coating 3 PE Three Layer PE Coating 3 PP Three Layer PE Coating

Lengths:

6 mtr & 12 mtr (with tolerances), SRL & DRL

Seamless & Welded Pipes

Standards: API Specification 5CT latest edition at time of manufacture (PSL-1, PSL-2, PSL, 3) ISO 11960:2004-Petroleum and Natural Gas industries - Steel pipes for use as casing or tubing for wells
Sizes: Outside Diameter: 1.660"-30" v Grades: H40, J55, K55, N80, N80Q, L80, C90, C95, T95, P110, Q125, Ss95, SS110, 9%CR, 13%CR



OCTG Casing & Tubing

SPECIFICATIONS

API 5CT 9th edition OCTG from 1.660" to 30' with respective couplings, crossovers, connections and pup joints

API Grades from H40 to Q125 and 13% CR

API and Premium Joint Connections ALL

API Standard Weights

Special SS and HC grades

CRA Grades



Drill Collars, Heavy Weight Drill Pipes

SPECIFICATIONS

"According to API 5D and API Spec. 7 latest edition Drill Pipes and sour service drill pipes from 2 3/8" to 6 5/8" Grades of E, X, G, S

TOOL JOINTS:

Nc26, NC31, NC38, NC40, NC46, NC50, NC56, 5 1/2 FH, 6 5/8 FH and HLDS26 to HLDS50, HLDS 5 1/2 to HLDS 6 5/8, others available on request. Hard Banding and Internal Plastic Coating available on request"

HEAVY WEIGHT DRILL PIPES (HWDP)

According to API 7 and API RP 7G Size Range: 3 1/2" to 6 5/8" Hard Banding: As per request

DRILL COLLARS

Size Range: 3 1/8" to 14" Slick or Spiral Connections: NC 23, NC 26, NC 31, to NC 50 Hard Banding: Arnco Series, others on request"



Fasteners & Gaskets



Range	1/4" to 4" dia. Wide range of length.
Bolt Types	Fully and partially Threaded Stud bolt complete with nuts
Bolt Material & Grades:	API, ASTM/ASME, BS/ISO
Special:	U-Bolts, Anchor Bolts, Hex Bolts, Bi-Hex Bolts, Rods
Coatin	Galvanized, XYLAN, PTFE, Cadmium Plated
Range	1/2" to 96"
PR Rating:	As per customer's requirement
Type	Spiral Wound, Ring Joint, Tanged Insert, PTFE Product, Rubber Sheets, Insulation Kits
Material	Carbon Steel, Stainless Steel, Duplex, Super Duplex There

Fabrication & Coating

As we understand our customers requirements, we extend our services by outsourcing and providing the following material modifications:

- **Galvanizing**
- **Machining from Higher Wall thicknesses to lower ones**
- **Epoxy Coating**
- **Cement Mortar Lining**
- **FBE Coating**

We can supply locally fabricated Spectacle Blinds, Spacer Rings, Insulation kits, Pipe Nipples etc.



Special Products


- Isolation Joints
- Corrosion Coupons & Injection Quills
- Nozzles and Special Forgings
- End Closures
- Pressure Vessels
- Pig Launcher & Receiver
- Cladding Works
- Dish Ends
- Test Rings/Spectical Blinds/ Spade & Spacers
- Welding Consumables



Testing & Inspection

With our vast experience, we are well aware of the testing and inspection requirements of our Clientele. We can arrange for Third party inspections on customer requests. Depending on our customers requirements we can outsource all kinds of relevant testing such as:

- SSCC (Sulphide Stress Corrosion Cracking)
- HIC (Hydrogen Induced Cracking)
- Various Mechanical (Bend Test, Ultimate Tenstile Test etc.), Chemical Analysis, Impact Test, Grain size.
- Various NDE (Non-destructive examinations) such as UT (Ultrasonic Testing Examination), Radiography, LPE (Liquid Penetrant Examination), MPE (Magnetic Particle Examination), PMI (Positive Material Identification) etc.



Top-Rated Products Serving Every Industry

We have years of experience catering to custom products needs of several business verticals.





- Oil & Gas
- Power Plants
- Desalination Plants
- Petrochemicals
- Aerospace
- Ship Building
- Constructions
- Refineries
- Travel & Hospitality
- Pressure Equipment



PILATUS UNITED STEEL TRADING COMPANY

00965-65014359
00965-66968879



sales@pilatussteel.com
www.pilatussteel.com



No.4, Floor 6, Al Nassar Tower,
Fahed Al Salem Street, Al Qibla, Kuwait